



Partington syndrome

Partington syndrome is a neurological disorder that causes intellectual disability along with a condition called focal dystonia that particularly affects movement of the hands. Partington syndrome usually occurs in males; when it occurs in females, the signs and symptoms are often less severe.

The intellectual disability associated with Partington syndrome usually ranges from mild to moderate. Some affected individuals have characteristics of autism spectrum disorders that affect communication and social interaction. Recurrent seizures (epilepsy) may also occur in Partington syndrome.

Focal dystonia of the hands is a feature that distinguishes Partington syndrome from other intellectual disability syndromes. Dystonias are a group of movement problems characterized by involuntary, sustained muscle contractions; tremors; and other uncontrolled movements. The term "focal" refers to a type of dystonia that affects a single part of the body, in this case the hands. In Partington syndrome, focal dystonia of the hands, which is called the Partington sign, begins in early childhood and gradually gets worse. This condition typically causes difficulty with grasping movements or using a pen or pencil.

People with Partington syndrome may also have dystonia affecting other parts of the body; dystonia affecting the muscles in the face and those involved in speech may cause impaired speech (dysarthria). People with this disorder may also have an awkward way of walking (gait). Signs and symptoms can vary widely, even within the same family.

Frequency

The prevalence of Partington syndrome is unknown. About 20 cases have been described in the medical literature.

Genetic Changes

Partington syndrome is caused by mutations in the *ARX* gene. This gene provides instructions for producing a protein that regulates the activity of other genes. Within the developing brain, the ARX protein is involved with movement (migration) and communication of nerve cells (neurons). In particular, this protein regulates genes that play a role in the migration of specialized neurons (interneurons) to their proper location. Interneurons relay signals between other neurons.

The normal ARX protein contains four regions where a protein building block (amino acid) called alanine is repeated multiple times. These stretches of alanines are known

as polyalanine tracts. The most common mutation that causes Partington syndrome, a duplication of genetic material written as c.428_451dup, adds extra alanines to the second polyalanine tract in the ARX protein. This type of mutation is called a polyalanine repeat expansion. The expansion likely impairs ARX protein function and may disrupt normal interneuron migration in the developing brain, leading to the intellectual disability and dystonia characteristic of Partington syndrome.

Inheritance Pattern

This condition is inherited in an X-linked recessive pattern. The gene associated with this condition is located on the X chromosome, which is one of the two sex chromosomes. In males (who have only one X chromosome), one altered copy of the gene in each cell is sufficient to cause the condition. In females (who have two X chromosomes), a mutation would have to occur in both copies of the gene to cause the disorder. Because it is unlikely that females will have two altered copies of this gene, males are affected by X-linked recessive disorders much more frequently than females. Females with one altered copy of the gene may have some signs and symptoms related to the condition. A characteristic of X-linked inheritance is that fathers cannot pass X-linked traits to their sons.

Other Names for This Condition

- MRX36
- Partington-Mulley syndrome
- Partington X-linked mental retardation syndrome
- PRTS
- X-linked intellectual deficit-dystonia-dysarthria
- X-linked mental retardation with dystonic movements, ataxia, and seizures

Diagnosis & Management

Genetic Testing

- Genetic Testing Registry: Partington X-linked mental retardation syndrome <https://www.ncbi.nlm.nih.gov/gtr/conditions/C0796250/>

Other Diagnosis and Management Resources

- American Academy of Child and Adolescent Psychiatry: Services in School for Children with Special Needs
https://www.aacap.org/AACAP/Families_and_Youth/Facts_for_Families/FFF-Guide/Services-In-School-For-Children-With-Special-Needs-What-Parents-Need-To-Know-083.aspx
- American Academy of Pediatrics: What is a Developmental/Behavioral Pediatrician?
<https://www.healthychildren.org/English/family-life/health-management/pediatric-specialists/pages/What-is-a-Developmental-Behavioral-Pediatrician.aspx>
- Centers for Disease Control and Prevention: Developmental Screening Fact Sheet
https://www.cdc.gov/ncbddd/actearly/pdf/parents_pdfs/DevelopmentalScreening.pdf

General Information from MedlinePlus

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>

Additional Information & Resources

MedlinePlus

- Encyclopedia: Intellectual Disability
<https://medlineplus.gov/ency/article/001523.htm>
- Health Topic: Developmental Disabilities
<https://medlineplus.gov/developmentaldisabilities.html>
- Health Topic: Dystonia
<https://medlineplus.gov/dystonia.html>

Genetic and Rare Diseases Information Center

- Partington syndrome
<https://rarediseases.info.nih.gov/diseases/4235/partington-syndrome>

Additional NIH Resources

- Eunice Kennedy Shriver National Institute of Child Health and Human Development: Intellectual and Developmental Disabilities
<https://www.nichd.nih.gov/health/topics/idds/conditioninfo/Pages/default.aspx>
- National Institute of Neurological Disorders and Stroke: Dystonias Fact Sheet
<https://www.ninds.nih.gov/Disorders/All-Disorders/Dystonias-Information-Page>

Educational Resources

- Center for Parent Information and Resources: Intellectual Disability
<http://www.parentcenterhub.org/repository/intellectual/>
- Centers for Disease Control and Prevention: Intellectual Disability Fact Sheet
https://www.cdc.gov/ncbddd/actearly/pdf/parents_pdfs/IntellectualDisability.pdf
- Disease InfoSearch: Partington X-linked mental retardation syndrome
<http://www.diseaseinfosearch.org/Partington+X-linked+mental+retardation+syndrome/5619>
- MalaCards: partington syndrome
http://www.malacards.org/card/partington_syndrome
- Orphanet: Partington syndrome
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=94083

Patient Support and Advocacy Resources

- The Arc: for People with Intellectual and Developmental Disabilities
<http://www.thearc.org/>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28partington+syndrome%5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D>

OMIM

- PARTINGTON X-LINKED MENTAL RETARDATION SYNDROME
<http://omim.org/entry/309510>

Sources for This Summary

- Cossée M, Faivre L, Philippe C, Hichri H, de Saint-Martin A, Laugel V, Bahi-Buisson N, Lemaitre JF, Leheup B, Delobel B, Demeer B, Poirier K, Biancalana V, Pinoit JM, Julia S, Chelly J, Devys D, Mandel JL. ARX polyalanine expansions are highly implicated in familial cases of mental retardation with infantile epilepsy and/or hand dystonia. *Am J Med Genet A*. 2011 Jan;155A(1):98-105. doi: 10.1002/ajmg.a.33785.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/21204215>
- Frints SG, Froyen G, Marynen P, Willekens D, Legius E, Fryns JP. Re-evaluation of MRX36 family after discovery of an ARX gene mutation reveals mild neurological features of Partington syndrome. *Am J Med Genet*. 2002 Nov 1;112(4):427-8.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/12376949>
- Partington MW, Turner G, Boyle J, Gécz J. Three new families with X-linked mental retardation caused by the 428-451dup(24bp) mutation in ARX. *Clin Genet*. 2004 Jul;66(1):39-45.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15200506>
- Poirier K, Lacombe D, Gilbert-Dussardier B, Raynaud M, Desportes V, de Brouwer AP, Moraine C, Fryns JP, Ropers HH, Beldjord C, Chelly J, Bienvenu T. Screening of ARX in mental retardation families: Consequences for the strategy of molecular diagnosis. *Neurogenetics*. 2006 Mar;7(1):39-46. Epub 2005 Oct 19.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16235064>
- Sherr EH. The ARX story (epilepsy, mental retardation, autism, and cerebral malformations): one gene leads to many phenotypes. *Curr Opin Pediatr*. 2003 Dec;15(6):567-71. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/14631200>
- Shoubridge C, Fullston T, Gécz J. ARX spectrum disorders: making inroads into the molecular pathology. *Hum Mutat*. 2010 Aug;31(8):889-900. doi: 10.1002/humu.21288. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/20506206>
- Suri M. The phenotypic spectrum of ARX mutations. *Dev Med Child Neurol*. 2005 Feb;47(2):133-7. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15707237>
- Turner G, Partington M, Kerr B, Mangelsdorf M, Gecz J. Variable expression of mental retardation, autism, seizures, and dystonic hand movements in two families with an identical ARX gene mutation. *Am J Med Genet*. 2002 Nov 1;112(4):405-11.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/12376946>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/partington-syndrome>

Reviewed: May 2013

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services